

WAUS46 KPCI 191445

WA6S

SFOS WA 191445

AIRMET SIERRA UPDT 2 FOR IFR AND MTN OBSCN VALID UNTIL 192100

.

AIRMET IFR...CA AND CSTL WTRS

FROM 50SE OED TO 20SE RBL TO 30SSW SNS TO 150WSW RZS TO 120SW

PYE TO 30SE FOT TO 50SE OED

CIG BLW 010/VIS BLW 3SM PCPN/BR. CONDS CONTG BYD 03Z THRU 09Z.

.

AIRMET IFR...OR CA

FROM 50SE OED TO 40NW FMG TO 60SSW FMG TO 30SE SAC TO 30SE RBL

TO 50SE OED

CIG BLW 010/VIS BLW 3SM PCPN/BR. CONDS DVLPG 21-00Z. CONDS CONTG

BYD 03Z THRU 09Z.

.

AIRMET MTN OBSCN...WA OR CA

FROM 20ENE YDC TO 50NE DSD TO 40SE LKV TO 40SSW FMG TO 30N CZQ

TO 60SSE SNS TO 30SW ENI TO 30SSW FOT TO 20N ONP TO HQM TO TOU

TO 20ENE YDC

MTNS OBSC BY CLDS/PCPN/BR. CONDS CONTG BYD 03Z THRU 09Z.

....

WAUS46 KPCI 191445

WA6T

SFOT WA 191445

AIRMET TANGO UPDT 2 FOR TURB STG WNDZ AND LLWS VALID UNTIL 192100

.

AIRMET TURB...WA OR CA AND CSTL WTRS

FROM 50ESE YDC TO 40SE YKM TO 60N FOT TO 120W FOT TO 160NW FOT

TO 120WNW ONP TO 140W TOU TO 30NW TOU TO 50ESE YDC

MOD TURB BLW 120. CONDS CONTG BYD 21Z THRU 03Z.

.

AIRMET TURB...WA OR CA ID MT NV UT AND CSTL WTRS

FROM 50ESE YDC TO 40NW HVR TO 40E HLN TO 40NE DBS TO 40SSW MLD

TO 20NE ELY TO 50SSE OAL TO 30W RZS TO 20SW ENI TO 40S FOT TO

60N FOT TO 40SE YKM TO 50ESE YDC

MOD TURB BLW FL180. CONDS CONTG BYD 21Z THRU 03Z.

.

AIRMET TURB...CA AND CSTL WTRS

FROM 50SSE OAL TO 20ESE EED TO BZA TO 20S MZB TO 30WNW RZS TO

50SSE OAL

MOD TURB BLW 120. CONDS DVLPG 18-21Z. CONDS CONTG BYD 21Z ENDG

00-03Z.

.

AIRMET TURB...WA OR CA ID NV AND CSTL WTRS

FROM 40SW YDC TO 60NW GGW TO 20E BOY TO 20S JAC TO 70ESE FMG TO

140WSW SNS TO 140WSW FOT TO 120WNW ONP TO 140W TOU TO 40SW YDC

MOD TURB BTN FL180 AND FL330. CONDS DVLPG 18-21Z. CONDS CONTG

BYD 21Z THRU 03Z.

.

AIRMET STG SFC WNDZ...WA OR AND CSTL WTRS

FROM 20SSE TOU TO 60S HQM TO 20NNW ONP TO 40SW ONP TO 130WSW ONP

TO 120WNW ONP TO 80W HQM TO 50SW TOU TO 20SSE TOU

SUSTAINED SURFACE WINDS GTR THAN 30KT EXP. CONDS CONTG BYD 21Z

ENDG 21-00Z.

.

LLWS POTENTIAL...CA NV

BOUNDED BY 70NNE FMG-60N OAL-20W OAL-20ENE CZQ-30NE MOD-60SE RBL-70NNE FMG

LLWS EXP. CONDS CONTG BYD 21Z ENDG 21-00Z.

.

LLWS POTENTIAL...WA OR AND CSTL WTRS

BOUNDED BY 20SW HUH-50ESE SEA-30N DSD-50ENE OED-60W OED-50S HQM-20NW TOU-20SW HUH

LLWS EXP. CONDS CONTG BYD 21Z ENDG 21-00Z.

.

OTLK VALID 2100-0300Z...TURB WA OR CA ID MT NV AND CSTL WTRS

BOUNDED BY 20E HUH-60NW GGW-40WSW SHR-50WNW BVL-20NNW OAL-130SW SNS-130WSW SNS-100SW PYE-70SW ENI-140WSW FOT-120WNW ONP-140W TOU-20E HUH

MOD TURB BTN FL180 AND FL330. CONDS CONTG THRU 03Z.

....

WAUS46 KPCI 191445

WA6Z

SFOZ WA 191445

AIRMET ZULU UPDT 2 FOR ICE AND FRZLVL VALID UNTIL 192100

.

AIRMET ICE...WA OR CA ID MT NV AND CSTL WTRS

FROM 30SSW YQL TO 40WSW GTF TO 50SW BOI TO 60ESE LKV TO 40N SAC TO 20E ENI TO 120SW PYE TO 140WSW FOT TO 140W TOU TO 20W HUH TO 30SSW YQL

MOD ICE BTN FRZLVL AND 150. FRZLVL 030-070. CONDS CONTG BYD 21Z THRU 03Z.

.

AIRMET ICE...OR CA NV AND CSTL WTRS

FROM 40ENE REO TO BAM TO 70ESE BAM TO 70NE OAL TO 60WSW BTY TO 150SW RZS TO 140WSW SNS TO 30S OAK TO 40NNE SAC TO 90SSE LKV TO 40ENE REO

MOD ICE BTN FRZLVL AND FL210. FRZLVL 050-100. CONDS CONTG BYD 21Z ENDG 00-03Z.

.

AIRMET ICE...ID MT WY NV UT

FROM 30SSW YQL TO 70S YYN TO BIL TO 20NW BPI TO 40SSE BVL TO 40NNW ELY TO BAM TO 50SW BOI TO 40WSW GTF TO 30SSW YQL

MOD ICE BTN FRZLVL AND FL200. FRZLVL 060-100. CONDS CONTG BYD 21Z THRU 03Z.

.

FRZLVL...RANGING FROM SFC-125 ACRS AREA

040 ALG 130WSW ENI-50WNW ENI-20SW YKM-80ESE YDC

080 ALG 160WSW RZS-70SSE FMG

120 ALG 30SE MZB-30S TRM-40N BZA

....

WAUS46 KPCI 191445

WA6S

SFOS WA 191445

AIRMET SIERRA UPDT 3 FOR IFR AND MTN OBSCN VALID UNTIL 192100

.

AIRMET IFR...CA AND CSTL WTRS

FROM 80NNW FMG TO 40SSW FMG TO 30SSW OAL TO 50NE EHF TO 20SW RZS TO 110W RZS TO 80SSE SNS TO 30S ENI TO RBL TO 80NNW FMG

CIG BLW 010/VIS BLW 3SM PCPN/BR. CONDS CONTG BYD 21Z THRU 03Z.

.  
AIRMET MTN OBSCN... ID MT WY NV  
FROM 50SW YQL TO GTF TO HVR TO 60SSW BIL TO 50E JAC TO BAM TO  
50SE REO TO 50SW YXC TO 50SW YQL  
MTNS OBSC BY CLDS/PCPN. CONDS CONTG BYD 21Z THRU 03Z.

.  
AIRMET MTN OBSCN...WA OR CA  
FROM YDC TO 20W YKM TO 60SSE EPH TO 60ESE YDC TO 50SW YXC TO  
50SE REO TO 40SE LKV TO 40SSW FMG TO 30S OAL TO 60WNW RZS TO  
30SW ENI TO FOT TO TOU TO YDC  
MTNS OBSC BY CLDS/PCPN/BR. CONDS CONTG BYD 21Z THRU 03Z.

.  
AIRMET MTN OBSCN...CA  
FROM 50W EHF TO 50WNW TRM TO 60ESE MZB TO 30S MZB TO 40SE LAX TO  
60WNW RZS TO 50W EHF  
MTNS OBSC BY CLDS/BR. CONDS ENDG 15-18Z.

.....